Europe / Africa Partners | Where To Buy





PRODUCT NUMBER: 2095304 POWERCOAT® 953-04 Nitraf

Mechanical and chemical resistance to a large range of products (oils, detergents and many solvents). Preparation of greasy products, production of paints, varnishes.

Honeywell

Overview

Reference Number

2095304

Product Type

Gloves

Range

Chemical Protection

Line

Heavy chemical

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Agriculture
 Automotive and Part Manufacturer
 Chemical Industries
 Food Industries
 Industrial Cleaning
 Iron and steel industry
 Maintenance
 Offshore
 Petro-chemical
 Printing Industries
 Services
 Ship Building
 Transportation
- Utilities
 Water treatment

Product Use

Mechanical and chemical resistance to a large range of products (oils, detergents and many solvents). Food preparation of greasy products, production of paints, varnishes.

Features & Benefits

Feature

Unsupported nitrile glove Smooth inside Diamond-pattern finish

Benefit

COMFORT

The glove's nitrile formula has been selected to give great elasticity to the glove.

POWERCOAT® 953-04 Nitraf - 2095304

Its diamond finish is tailored for grasping dry and damp objects.

RESISTANCE

Nitrile ensures good chemical properties and excellent mechanical characteristics (abrasion).

It is particularly suitable for the handling of oils and greases.

Avoid contact with solvents containing ketones.

SAFETY

Category III glove for constant quality.

Its long cuff helps to protect the forearm.

Technical Description

Description

CE CATEGORY : III Irreversible risks In accordance with standards : EN 420-2003 EEC Basic standard EN 388-2003 Mechanical risks EN 374-2003 Chemical risks

CHARACTERISTICS:

Unsupported nitrile glove

Smooth inside

Diamond-pattern finish

Product Technology

Dipped Gloves

Gauge

Green

Coating Type

Nitrile and cotton

Length

45 cm

Thickness

0.6 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

8 à 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	0
Puncture resistance	1

EN 374-3 Resistance to

	Resistance to permeation by chemicals	JKL	
--	---------------------------------------	-----	--

Packaging Label

Tagging

CE HONEYWELL 2095304 XX EN 420

EN 388 : 4101 EN 374-3 : JKL

Certifications

EU Category PPE

3

EU Certification

EU Attestation

Additional Information

User Manual

UI 104

User Information Sheet

104

Maintenance

Storage Information

Individual packaging.
Minimum sale packaging 10 pairs.
Boxes of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.